

VoIP Zone Controller

4-Port Audio-Out

CyberData

The IP Endpoint Company

The CyberData VoIP Zone Controller with Audio-Out enables access to existing paging speakers through a VoIP phone system. The interface is designed to use a standard paging amplifier with audio inputs and supports paging up to 15 zone groups from a VoIP phone.



Features

- SIP RFC 3261 compatible
- PoE 802.3af enabled (Power-over-ethernet)
- Dual-speed ethernet 10/100 Mbps
- 4 Paging zones
- 15 Paging zone groups
- Page all
- Web-based configuration
- Web-based firmware upgradeable
- Connector for external power supply
- Small footprint
- IGMP

Specifications

Protocol	SIP RFC 3261 Compatible
Ethernet I/F	10/100 Mbps
Power Input	PoE 802.3af or 48VDC
Operating Temperature	-30 to 55 C (-22 to 131 F)
Payload Types	G711
Output Signal Amplitudes	2.0 VPP maximum
Output Level	+2dBm nominal
Total Harmonic Distortion	0.5% maximum
Regulatory Compliance	FCC Class B, UL 60950, CE
Dimensions	6.2" L x 4.5" W x 1.22" H
Weight	1.6 lbs.
Warranty	2 years limited
Boxed Weight	1.8 lbs.
Part Number	010881

CyberData
The IP Endpoint Company

VoIP Zone Controller

